Trailer Crafters

PO Box 10490 Wilmington, NC 28404 US (888)244-2029 brad@doubledtrailers.com



25,046.00

ADDRESS

Note: This is a sample suggestion of a popular layout which you may order, and customize (add or delete) any items you'd like. **ESTIMATE #** 4413 **DATE** 06/24/2019

ITEM DESCRIPTION AMOUNT

SafeTack 3HGN

Safe-Tack 3 Horse Slant Gooseneck with Dress

Year: 2019 Make: Double D

Serial # (to be added)

Structural:

- **Overall trailer box length 18 feet
- **Height 7ft 4 in, Width 80 inches
- **Z-Frame technology built Chassis
- **2 in x 8 in pressure treated pine horse flooring with mat
- **One piece no leak fibercomposite Safebump Roof sysem
- **Aerodynamic "V" nose on goose
- **3/4 in treated plywood or Advantech sub floor in dress with carpet
- **Z-Frame Tubular slant dividers with easy latch
- **rear Safetack design with extra divider on slam latch
- **pop up roof vent for each horse
- **bracket to hang on 7-way gooseneck cord when not in use

Jack/Coupler:

- **2 5/16 in gooseneck coupler
- **spring load drop leg jack

Axle and Tire Info:

- **5,200 lb axles with independent suspension
- **ST225/75R15 (D) gray wheels with chrome cap
- **Spare tire mounted under gooseneck

Doors:

- **Safetack design on left door with cam latch
- **Full height right hand rear door with cam latch and Lisa Tie Backs
- **Walk thru door from front to rear, swing towards horse area

ITEM DESCRIPTION AMOUNT

**Dress door with window

Windows:

- **(1) 20*x24* without bars in dress door
- **(2) 20*x51* without bars in dressing room in Gooseneck either side
- **(3) 24"x30" Drop down windows horse head side
- **(2) 20*x51" with bars on butt side

Insulation:

**Entire trailer is insulated front to rear including all walls

Sheeting:

- **Safekick wall system in horse area
- **Galvalite sheets interior
- **Aluminum Exterior
- **Diamond aluminum rock guard under gooseneck

Trim Exterior Features:

- **Aluminum fenders with safety trim around edges;
- **(3) exterior tie rings.
- **(1) LED Turn Signal/Brake Light, mounted about half way up the trailer
- **LED running lights to meet DOT requirement
- **Brake-a-way battery mounted underneath goose
- **RV door plungers on dress door and escape doors or Lesa Latch
- **Lesa tie back latches on rear doors

Interior Trim Features:

- **Pad both sides of dividers and slant wall
- **One interior lay flat tie ring per horse at horses head
- **Carpet in dressing room floor
- **Mats in horse area
- **(2) lights in dressing room, one at door, one in nose, on single wall switch
- **(3) lights in horse area, one at right rear, one at walk thru door, one inside safetack all wired to single outside remote switch
- **(3) saddle boss saddle racks
- **Set of three bridle hooks in Safetack
- **Handle on rear Safetack
- **License plate bracket at top

J	
Reverse	
and forward	
load	

7'8" Height

7 ft 8 inch height In place of standard

Combination rear and forward facing design. This option includes 1 ft. in front stall for wider entrance and larger horses, side load or unload ramp, Double hinged divider that allows you to pivot from both ends, extra drop down windows for windows on either end of stall (Road and Ditch side), extra pop up roof vents for total of two per stall, Extra Interior tie loop per horse Road and ditch side, Escape door on front stall

Side ramp up to 48" wide with top single dutch door and window (footagle required to add 2,356.00 ramp)

ramp)

Ramp door Ramp Fold up door spring assist covered with black matting 1,510.00

Rumber Flooring Add Rumber Flooring in horse area in place of 2"x8" pine and matting

width 90 Increase from 80" to 90" width 2,252.50

footage horse area 90 Footage Horse area 90 in width (move from dress to center stall, no charge)

nse alea

rumber Rumber upcharge on extra horse area footage

280.00

0.00

1,390.00

1,570.00

5,629.00

ITEM	DESCRIPTION	AMOUNT
upcharge		
Battery Rack	Battery Rack for single plastic case	72.00
Battery Auxillary	BatteryInterior installation deep cell 12V wired to charge from truck	346.00
Delivery	Nationwide Flat Rate delivery charge from WI factory to Customer	413.00
Tie Ring Exterior	Extra Exterior Tie Ring (total of 6, 3 per side)	150.00
grab Handle	RV grab handle at dress door	41.00
Fan	12V Stall fan per horse	477.00
remote switch	Remote Switch for fans	78.00
carpet bulk head wall	Carpet Bulk Head Wall	364.00
carpet bulk head wall	Carpet on short wall and dress long wall	728.00
Wall Organizer Grid Panel	Install wall organizer grid panel per drawing location	210.00
Bridle Hangers	Add bridle hangers inside dress	144.00
water tank	25 gallon water tank with stand for inside the dressing room.	392.00
mat	Delete the carpet in the dressing room floor and replace with a rubber stall mat	118.00
camera system	two camera system includes one camera in horse area, one exterior rear view camera and Wireless monitor for tow vehicle	1,124.00
Hydraulic Jack	Hydraulic Jack 6 Ton capacity, battery not included.	1,958.00
gravel Guard	3" Gravel Guard Trim piece at top of ramp	146.00
window 20'x24'	Add Window 20"x 24" with bars (rear door)	211.00
Fan	12V Stall fan mounted in dress	159.00
White Aluminum sheets	White Aluminum sheets	0.00
Horse Head	Horse Head Graphic	0.00
Black	Black Graphics package	0.00
Roof Rail	Roof rail and frame/Chassis color (match to graphic or customer's tow vehicle)	0.00

TOTAL

\$47,164.50

Accepted By Accepted Date