Trailer Crafters PO Box 10490 Wilmington, NC 28404



ESTIMATE # 14474 READY FOR DELIVERY

ITEM	DESCRIPTION	AMOUNT
SafeTack 3HGN	SafeTack 3 Horse Slant Gooseneck with Dress Year: 2024 Make: Double D Serial # 1D9KT2728RM363474 Structural: **Overall trailer box length 18 feet **Height 7ft 4 in, Width 80 inches **Z-Frame technology built Chassis **2 in x 8 in pressure treated pine horse flooring with mat **One piece no leak fibercomposite Safebump Roof sysem **Aerodynamic "V" nose on goose	36,597.00
	 **3/4 in treated plywood or Advantech sub floor in dress with carpet **Z-Frame Tubular slant dividers with easy latch **rear Safetack design with extra divider on slam latch **pop up roof vent for each horse **bracket to hang on 7-way gooseneck cord when not in use 	
	Jack/Coupler: **2 5/16 in gooseneck coupler **spring load drop leg jack	
	Axle and Tire Info: **5,200 lb axles with independent suspension **ST225/75R15 (D) gray wheels with chrome cap **Spare tire mounted under gooseneck	
	Doors: **Safetack design on left door with cam latch **Full height right hand rear door with cam latch and Lisa Tie Backs **Walk thru door from front to rear, swing towards horse area **Dress door with window	
	Windows: **(1) 20*x24* without bars in dress door **(2) 20*x51* without bars in dressing room in Gooseneck either side	

**(3) 24"x30" Drop down windows horse head side

**(2) 20*x51" with bars on butt side

Insulation:

**Entire trailer is insulated front to rear including all walls

Sheeting:

**Safekick wall system in horse area

**Galvalite sheets interior

**Aluminum Exterior

**Diamond aluminum rock guard under gooseneck

Trim Exterior Features:

**Aluminum fenders with safety trim around edges;

**(3) exterior tie rings.

**(1) LED Turn Signal/Brake Light, mounted about half way up the trailer

**LED running lights to meet DOT requirement

**Brake-a-way battery mounted underneath goose

**RV door plungers on dress door and escape doors or Lesa Latch

**Lisa tie back latches on rear doors

Interior Trim Features:

**Pad both sides of dividers and slant wall

**One interior lay flat tie ring per horse at horses head

**Carpet in dressing room floor

**Mats in horse area

**(2) lights in dressing room, one at door, one in nose, on single wall switch

**(3) lights in horse area, one at right rear,	one at walk thru door,	one inside safetack all
wired to single outside remote switch		
**(0) and the least standard stan		

**(3) saddle boss saddle racks

**Set of three bridle hooks in Safetack

**Handle on rear Safetack

**License plate bracket at top

**Painted white horse area

Reverse and forward load	Safetack Reverse: combination rear and forward facing design. This option includes 1 ft. in front stall for wider entrance and larger horses, side load or unload ramp, Double hinged divider that allows you to pivot from both ends, extra drop down windows for windows on either end of stall (Road and Ditch side), extra pop up roof vents for total of two per stall, Extra Interior tie loop per horse Road and ditch side, Escape door on front stall	8,010.00
16.2 Hand up to 17 Hand	A standard size stall will fit up to a 15.2 hand horse, 1100 lb range smaller breed. This option includes 1' added to one stall, 90 inch exterior box width for additional nose to butt length in place of the standard as well as 7 ft 6 inch height. An axle upgrade is also required and included in the option price. With these dimensions, you can fit up to a 17 Hand horse.	6,530.00
Delivery	Nationwide Flat Rate delivery charge from WI factory to Customer	395.00
Rumber Flooring	Add Rumber Flooring in horse area in place of 2"x8" pine and matting	1,978.00
rumber upcharge	Rumber upcharge on extra horse area footage	346.00
camera system	two camera system includes one camera in horse area, one exterior rear view camera and Wireless monitor for tow vehicle	1,601.00
Ramp door	Ramp Fold up door spring assist covered with black matting	2,148.00
diamond plate ramp	3" strip of diamond plate to prevent scratches to the ramp on gravel or rocks	210.00

ITEM	DESCRIPTION	AMOUNT
double side ramp	Add a 2nd side ramp, footage required for this option	3,354.00
window 20" x 24"	Add Window 20"x 24" with bars (rear door)	317.00
110 Electrical	110 Electrical System, Includes (1) breaker box (2) inside 110V outlets and exterior location for connection to campsite.	995.00
Air Conditioner	13,500 BTU with Heat strip	2,578.00
Battery Auxiliary	Battery deep cell 12V wired to charge from truck, mount per drawing location	494.00
Battery Rack	Battery Rack for single plastic case	103.00
Hydraulic Jack	Hydraulic Jack 6 Ton capacity	3,237.00
Light Exterior	Exterior Light at dress door, includes interior mount remote switch	272.00
flood light	LED Load light on separate switch mounted over rear doors and side ramp	626.00
carpet bulk head wall	Carpet Bulk Head Wall	394.00
Wall Organizer Grid Panel	Install wall organizer grid panel per drawing location	298.00
Screen Door	AirCraft style RV rounded corner door with Bug screen IPO standard door	755.00
Fan	12V Stall fan per horse	678.00
grab Handle	RV grab handle at dress door and escape door	160.00
mat	Delete the carpet in the dressing room floor and replace with a rubber stall mat	387.00
7'8" Height	7 ft 8 in height upgrade	1,118.00
Tie Ring Exterior	Extra Exterior Tie Ring (per drawing location) x3	225.00
Bridle Hangers	Add bridle hangers to your Safetack per drawing location x3	108.00
water tank bracing	Install supports in slant wall for future water tank installation.	53.00
Painted White Horse Area	Standard painted white horse area for brighter and more inviting space	0.00
White aluminum sheets	White Aluminum sheets	0.00
Horse Head	Horse Head Graphic	0.00
Graphic Color	Graphic Color - Black	0.00
Roof Rail	Roof rail and frame/Chassis color: Black	0.00
	Notes: Front two stalls will fit up to a 17H Warmblood Back stall will fit up to a 16.2H Thoroughbred Tow vehicle: TBD	

\$73,967.00